



LivWell
INFUSIONS

Injectafer/Ferric Carboxymaltose

Fax 888 511-7654 Phone 888 864-7341

Patient Name: _____

DOB: _____

Patient Phone: _____

SEX: M F

Please Attach All Insurance Information, front and back

MEDICAL INFORMATION

Diagnosis: D50.0 Iron Deficiency Anemia Secondary To Blood Loss

D50.1 Sideropenic Dysphagia

D50.8 Other iron deficiency anemias

D50.9 Iron Deficiency Anemia, unspecified

E61.1 Iron Deficiency (excludes iron deficiency anemia)

Other _____

ALSO INCLUDE...

- Clinical/ Progress Notes
- Demographics Sheet
- Current Medications
- Labs
- Insurance Cards

ICD-10 : _____

FERRIC CARBOXYMALTOSE ORDER

Patients Weight: _____ kg

Dosage and frequency:

750mg IV - Give 2 doses at least 7 days apart not to exceed 1500mg - **if patient weighing 50kg (110lbs) or greater**

15mg/kg IV - Give 2 doses at least 7 days apart not to exceed 1500mg - **if patient weighing less than 50kg (110lbs)**

Patient is currently taking Oral Iron YES NO

Date of last Injectafer Infusion: _____

Additional Comments:

PHYSICIAN INFORMATION

Referring Physician: _____

Phone: _____

Practice Address: _____

Office Contact: _____

Fax: _____

NPI/ TIN: _____

Referring Physician's Signature _____

Date: _____